

Po'ipū Road

A Vision for the Corridor

Training & Community Design Workshop
Kaua'i, HI



CONTENTS

I.	Po'ipū Community Design Workshop.....	3
II.	Overarching Improvements.....	23
①	ADDRESS Design, Posted & Target Speed.....	24
②	NARROW Travel Lanes.....	30
③	BUILD Additional Roundabouts.....	33
④	ADD Medians.....	48
⑤	ENHANCE Crossings.....	53
⑥	COMPLETE Pedestrian & Bicycle Paths & Systems.....	64
⑦	ADDRESS Parking.....	72
⑧	IMPROVE Connectivity.....	78
III.	Next Steps.....	83
IV.	Acknowledgements.....	86

I. Poipu Community Design Workshop

What is a Community Design Workshop?



Meet the Team



Meet the Team



Design Team



Focus Group Meetings

Po'ipū Road
A Vision for the Corridor



Po'ipū Beach Resort
Association

Focus Group Meetings

Po'ipū Road
A Vision for the Corridor



Kōloa School & Community
Association

Focus Group Meetings

Po'ipū Road
A Vision for the Corridor



Hawaiian
Cultural
Group

Focus Group Meetings

Po'ipū Road
A Vision for the Corridor



Walking Audit

Po'ipū Road
A Vision for the Corridor



Walking Audit

Po'ipū Road
A Vision for the Corridor



Opening Workshop

Po'ipū Road
A Vision for the Corridor



Identifying Values

Po'ipū Road
A Vision for the Corridor





A word cloud of values for the Po'ipū Road corridor. The words are arranged in a cluster, with 'Family & Friends' being the largest and most prominent. Other large words include 'Place', 'Community', 'Beauty', 'Ocean', 'Weather', and 'Climate'. Smaller words include 'Active', 'Rural', 'Transportation', 'Walking', 'Bicycling', 'Safety', and 'Aloha'. The colors of the words are green, brown, blue, and orange.



Family & Friends
Place Community
small
Beauty Ocean
Weather Climate
Transportation Walking Bicycling
Active Rural Safety Aloha

Opening Workshop

Po'ipū Road
A Vision for the Corridor



Identifying Priorities



- **BUILD** Additional Roundabouts along Po'ipū Road
 - Roundabout at Pee & Po'ipū Road
 - Roundabout at Kiahuna Plantation Drive & Po'ipū Road
- **COMPLETE** Walk/Bike Paths along Both Sides of Poipu Road
- **ENHANCE** Bus Stop Shelters
- **Manage** Parking along Po'ipū Road
- **ADDRESS, IMPROVE, & ENHANCE** Pedestrian Crossings
- **PROTECT** Hapa Trail
- **IMPROVE** Connectivity

Community Design Workshop

Po'ipū Road
A Vision for the Corridor




Closing Workshop

Po'ipū Road
A Vision for the Corridor



Map of Po'ipū

Po'ipū Road
A Vision for the Corridor



Map of Po'ipū

Po'ipū Road
A Vision for the Corridor



Roundabout



Intersection/Crossing Enhancements

--- Bike Lane

--- Sidewalk

Median



Potential Formalized Parking

* Bus shelters

II. Overarching Improvements

- ① **ADDRESS** Design, Posted & Target Speed
- ② **NARROW** Travel Lanes
- ③ **BUILD** Additional Roundabouts
- ④ **ADD** Medians
- ⑤ **ENHANCE** Mid-block Crossings
- ⑥ **COMPLETE** Pedestrian & Bicycle Paths & Systems
- ⑦ **ADDRESS** Parking
- ⑧ **IMPROVE** Connectivity

Existing Condition

Principle

Solution

① **ADDRESS** Design, Posted & Target Speed




Existing Condition

Principle

Solution

① ADDRESS Design, Posted & Target Speed




Existing Condition


Principle

Solution

① ADDRESS Design, Posted & Target Speed



Conventional Design



Designing for Desired Operating Speed

Existing Condition

Principle

Solution

① ADDRESS Design, Posted & Target Speed



The design of this roadway is consistent with the target speed desired. Note the treatments utilized:

- Sight distance
- Street trees
- Lane Widths
- Access density
- Median
- On-street Parking

Existing Condition

Principle

Solution

① ADDRESS Design, Posted & Target Speed



Example: Nord Avenue, Chico, CA

Existing Condition

Principle

Solution

① ADDRESS Design, Posted & Target Speed



Example: Nord Avenue, Chico, CA

Existing Condition

Principle

Solution

① ADDRESS Design, Posted & Target Speed



Example: Nord Avenue, Chico, CA

Existing Condition

Principle

Solution

① ADDRESS Design, Posted & Target Speed



Example: Nord Avenue, Chico, CA

Existing Condition

Principle

Solution

① ADDRESS Design, Posted & Target Speed



Example: Nord Avenue, Chico, CA

Existing Condition

Principle

Solution

① ADDRESS Design, Posted & Target Speed



Example: Nord Avenue, Chico, CA

Existing Condition

Principle

Solution



Existing Condition

Principle

Solution



Existing Condition

Principle

Solution



Existing Condition

Principle

Solution



Existing Condition

Principle

Solution



Existing Condition

Principle

Solution

② **NARROW** Travel Lanes




Existing Condition

Principle

Solution

② NARROW Travel Lanes



Existing Condition

Principle

Solution

② **NARROW** Travel Lanes



Use Bold Edge Stripes

Existing Condition

Principle


Solution

② **NARROW** Travel Lanes



Use Bold Edge Stripes

③ BUILD Additional Roundabouts




Complex Intersection at Po'ipū Road & Kōloa Road

Existing Condition

Principle

Solution

③ BUILD Additional Roundabouts




Missing Pedestrian Crossings at the Roundabout on Po'ipū Road

Existing Condition

Principle

Solution

③ BUILD Additional Roundabouts



The long, straight sight distances encourage high vehicle speeds, which is especially dangerous at this intersection as many vehicles are turning into the shopping center and many pedestrians are crossing from the resort side to the shopping center.

Complex Intersection at Po'ipū Road & Po'ipū Shopping Village

Existing Condition

Principle

Solution

③ BUILD Additional Roundabouts



Complex Intersection at Po'ipū Road & Koa Kea Hotel

Existing Condition

Principle

Solution

③ BUILD Additional Roundabouts




Complex Intersection at Po'ipū Road & Ala Kinoikii

Existing Condition

Principle


Solution

③ BUILD Additional Roundabouts




Conflicts at a single-lane, modern roundabout

- 8 vehicle-to-vehicle conflicts
- 8 vehicle-to-person conflicts




Conflicts at a conventional intersection with single lanes in each direction

- 32 vehicle-to-vehicle conflicts
- 24 vehicle-to-person conflicts



Conflicts at a double-lane, modern roundabout

- 24 vehicle-to-vehicle conflicts
- 16 vehicle-to-person conflicts



Conflicts at a conventional intersection with double-lanes and left-turn lane in each direction

- 46 vehicle-to-vehicle conflicts
- 28 vehicle-to-person conflicts

Existing Condition

Principle

Solution

③ BUILD Additional Roundabouts

Studies show that roundabouts provide:

- 90% reduction in fatal crashes
- 75% reduction in injury crashes
- 30-40% reduction in pedestrian crashes
- 10% reduction in bicycle crashes

Increased capacity & reduced delay:

- 30-50% increase in traffic capacity
- Because drivers can take advantage of any gaps in traffic flow, there is less overall delay

- No signal equipment to install, repair and rebuild, which has a saving of \$13,000 to \$20,000 per year for every signalized intersection
- When storms or human error cause power outages, roundabouts still function

Environmental benefits:

- There is a reduction in pollution and fuel use
- There is less noise due to fewer stops and starts

Aesthetics:

- Roundabouts improve the visual quality and character through landscaping, sculptures and other

celebrate place

Vehicle speeds (under 25mph):

- Drivers have more time to judge and react to other vehicles and pedestrians
- Conditions are easier for older and novice drivers
- Businesses have more exposure
- There is a reduction in the severity of accidents if they do occur
- All modes are safer and integrate better
- A gateway is formed which establishes place and provides traffic calming benefits

Existing Condition

Principle

Solution

③ BUILD Additional Roundabouts



Existing Condition

Principle

Solution

③ BUILD Additional Roundabouts




Existing Condition

Principle

Solution

③ **BUILD** Additional Roundabouts



Existing Condition

Principle

Solution

③ **BUILD** Additional Roundabouts



Existing Condition

Principle

Solution

③ **BUILD** Additional Roundabouts



Existing Condition

Principle

Solution

③ **BUILD** Additional Roundabouts



Existing Condition

Principle

Solution

③ BUILD Additional Roundabouts




Existing Condition

Principle

Solution

③ BUILD Additional Roundabouts



Vision for a Roundabout at the Intersection of Po'ipū Road
& Ala Kinoikii

Existing Condition

Principle

Solution

④ **ADD Medians**




Existing Condition

Principle

Solution

④ ADD Medians



Existing Condition

Principle

Solution

④ ADD Medians





Short Medians

Existing Condition

Principle

Solution

④ ADD Medians



makai

Existing Condition

Principle

Solution

④ ADD Medians



Tree-lined Median

Existing Condition

Principle

Solution

⑤ IMPROVE Crossings



Existing Condition

Principle

Solution

⑤ IMPROVE Crossings




Existing Condition

Principle

Solution

⑤ IMPROVE Crossings



Existing Condition

Principle

Solution

⑤ IMPROVE Crossings



Existing Condition

Principle

Solution

⑤ IMPROVE Crossings



Rectangular
Rapid Flash
Beacons (RRFB)

Existing Condition

Principle

Solution

⑤ IMPROVE Crossings



Existing Condition

Principle

Solution

⑤ IMPROVE Crossings



Existing Condition

Principle

Solution

⑤ IMPROVE Crossings



Existing Condition

Principle

Solution

⑤ IMPROVE Crossings



Existing Condition

Principle

Solution

⑤ IMPROVE Crossings




Create a Midblock Crossing at the Intersection of Po'ipū Rd & Kipuka Rd

Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems




Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems



Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems




Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems

A Complete Street is a street designed for safe, comfortable and convenient travel for all users, whether they choose to travel by car, bicycle, public transportation, or on foot.



Trees:

Tall trees of a species appropriate for the area are spaced 15 to 25 feet apart. The vertical wall helps calm traffic and encourages lower vehicle speeds.

Buffer:

If the buffer includes trees, they should be set back from the curb at least four feet and the total buffer should be at least six feet.

Bike lane:

To function well, bike lanes should be at least six feet wide.

Wide stripes:

Mark bike lanes with thermoplastic stripes eight to twelve inches wide.

Median widths:

Medians typically are six to eight feet wide, but can vary to allow for landscaping, maintenance and adequate "refuge" for pedestrians crossing.

Vehicle lanes:


Lane width analysis indicates that narrower lanes are associated with lower crash frequencies. Ten foot travel lanes reinforce a 25-35 mph design speed.

Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems




Create Colorized
Bike Lanes and
Sidewalks along
Po'ipū Road from
Kōloa Town to the
Roundabout

Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems



Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems



Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems



Paint Colorized Bike Lanes

Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems



Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems



Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems




Existing Condition

Principle

Solution

⑥ COMPLETE Pedestrian & Bicycle Paths & Systems



Existing Condition

Principle

Solution

⑦ ADDRESS Parking



Existing Condition

Principle

Solution

⑦ ADDRESS Parking



Existing Condition

Principle

Solution

⑦ ADDRESS Parking



Existing Condition

Principle

Solution

⑦ ADDRESS Parking




On-Street Parking with Tree Wells

Existing Condition

Principle

Solution

⑦ ADDRESS Parking




On-street
Parallel Parking
on one side of
Po'ipū Road
near Kōloa Town

Existing Condition

Principle

Solution

⑦ ADDRESS Parking



Existing Condition

Principle

Solution

⑧ IMPROVE Connectivity



91 Opportunity to Convert Closed Road to a Ped/Bike Path

Existing Condition

Principle

Solution

⑧ IMPROVE Connectivity



92 Opportunity to Convert Closed Road to a Ped/Bike Path

Existing Condition

Principle

Solution

⑧ IMPROVE Connectivity



Existing Condition

Principle

Solution

⑧ IMPROVE Connectivity



Existing Condition

Principle

Solution

⑧ IMPROVE Connectivity



Existing Condition

Principle

Solution

⑧ IMPROVE Connectivity



Existing Condition

Principle

Solution

⑧ IMPROVE Connectivity



III. Next Steps

In progress:

- Complete striping of Po‘ipū Road at the Kōloa School and the Po‘ipū/Waikomo Road intersection, plans are to extend the bike lane and pedestrian walkway as far as possible.
- Po‘ipū Road “no parking” resolutions at Kiahuna Plantation Drive, Koa Kea entrance, and Keleka Road are in process of being presented at the County Council to be approved.

III. Next Steps

Short term (within 1 year):

- Complete striping of Waikomo Road pedestrian walkway.
- Apply for Safe Routes to School grants for sidewalk improvements in Koloa Town
- Revise directional signage at Kōloa Rd./Po'ipū Rd. intersection
- Striping revisions where feasible
- Develop request-for-proposal for design/engineering of Po'ipū Rd. corridor
- Bus shelter – 1 to start

III. Next Steps

Mid-term to Long-term:

- Consultants to complete PS&E – Plans, Specifications and Estimates, which includes the NEPA - environmental needs for Hawaii Dept. of Transportation check list to get project approved on the Statewide Transportation Improvement Program (STIP) for funding.
- Program the Construction on the STIP
- Detail plan for on-going maintenance
- Bus shelters will be installed as funding is available.

IV. Acknowledgements

We would like to extend a special Mahalo to all who participated in the Po'ipū Community Design Workshop. The commitment demonstrated by the individuals and organizations is evidence that improving the walkability and livability of the community through a better built environment is a priority.

County of Kaua'i Department of Public Works & Department of Planning

Get Fit Kauai

Kaua'i's Built Environment Task Force

Kōloa Fire Station Team

Po'ipū Beach Resort Association

Kōloa School and Community Association

Hawaiian Cultural Group

Landowners

Property Owners

Po'ipū and Kōloa Residents



What Do We Want to Protect & Preserve?



Lee Steinmetz
County of Kaua'i Transportation
Planner
lsteinmetz@kauai.gov
808-241-4978



Bev Brody
Get Fit Kaua'li Health & Built
Environment Project Facilitator
bbrody1@hawaii.rr.com
808-828-2027



Walkable and Livable
Communities Institute, Inc.

Samantha Thomas
Project Coordinator
www.walklive.org
Samantha@walklive.org
360-385-3421